



Aficio™ MP 2550/2550B/3350/3350B

Flexible multi-function
communications platforms



RICOH

The answer to all your document handling needs

The high-performance Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B take office productivity to a whole new level. These multifunctional all rounders unite a variety of functionalities to streamline your workflow. Furthermore, you obtain the cutting-edge strengths Ricoh stands for: ease of use, high productivity and state-of-the-art document management. With these highly advanced systems you are prepared to meet any modern office challenge.

MP 2550/MP 2550B

- High productivity: 25 ppm
- Outstanding usability
- Advanced document management
- MP 2550: standard colour scanning + B&W printing
- MP 2550B: Optional B&W print/scan

MP 3350/MP 3350B

- Exceptional speed: 33 ppm
- Versatile document handling
- Handy printing tools
- MP 3350: standard colour scanning + B&W printing
- MP3350B: Optional B&W print/scan



Versatile finishing

To keep your document creation in house and produce your own professional looking output, the Aficio™MP 2550/MP 2550B and Aficio™MP 3350/MP 3350B can be equipped with one of four finishing options. You can even create high quality booklets if you opt for the 1,000-sheet booklet finisher.

Wide media versatility

The MP 2550/MP 2550B and MP 3350/MP 3350B support a variety of paper formats from A5 to A3. You can also print on thick paper up to 157 g/m² to create report covers and flyers. The vast maximum paper capacity of 3,100 sheets allows you to effortlessly handle larger jobs. No need to waste time on continuous refills.





Unique colour scanning & distribution

To save time and costs, you can distribute your information digitally. You can send colour* documents as e-mail attachments combining 'scan to e-mail' and 'colour scanning'. In addition, you can scan to URL for reduced network traffic and unlimited file size requirements. 'Scan to NCP', on the other hand, meets the needs of Novell® network environment users.

* Standard colour scan is only available on MP2550/3350, MP2550B/3350B offer B&W scanning as an option



Straightforward & simple

- 185 x 112mm full colour touch panel for increased usability and accessibility.
- Simplified display showing only the most frequently used functions.
- Animated user guidance in case of irregularities.
- Easy handling paper trays for easy paper replenishment.

Essential security

- Advanced access limitation (Windows® authentication).
- Erasing of temporary data on the Hard Disk Drive (Data Overwrite Security Unit).
- IP filtering & data encryption.
- Watermark protection greys out documents when copied on devices with a Copy Data Security Unit.



Professional faxing*

- Automatically distribute incoming faxes to e-mail or folder.
- Transmit faxes directly from the convenience of your own PC (LAN fax).
- Reduce costs by using the Internet for long distance faxing (Internet fax).
- Virtually eliminate the costs of sending long distance faxes by transmitting fax data over the IP/VoIP network (IP fax).

*Standard on MP2550/3350 with fax option. Requires additional print/scan option on MP2550B/3350B



Committed to the environment

Like all Ricoh products, the MP 2550/MP 2550B and MP 3350/MP 3350B reflect Ricoh's commitment to the environment through:

- the usage of toxic free materials;
- energy-saving toner production;
- paper-saving duplex capability;
- extremely low power consumption; and
- clean and quiet operation.





Specifications

Copier

Copying process:	Single laser beam scanning & electro photographic printing
Copy speed:	25/33 copies per minute
Resolution:	600 dpi
Multiple copy:	Up to 999
Warm-up time:	Less than 14 seconds
First output speed:	4.5 seconds
Zoom:	25 - 400% (in 1% steps)
Memory:	
Standard:	256 MB
Maximum:	MP 2550B/MP 3350B: 512 MB + 40 GB Hard Disk Drive MP 2550/MP 3350: 768 MB + 40 GB Hard Disk Drive (standard)

Paper input capacity:

Standard:	2 x 500-sheet paper trays
Maximum:	3,100 sheets

Paper output capacity:

Standard:	500 sheets
Maximum:	1,625 sheets

Paper size:

	A5 - A3
--	---------

Paper weight:

Paper tray 1/duplex tray:	60 - 105 g/m ²
Paper tray 2/bypass tray:	52 - 157 g/m ²

Dimensions (W x D x H):

	570 x 653 x 709 mm
--	--------------------

Weight:

	Less than 60 kg
--	-----------------

Power source:

	220 - 240 V, 50/60 Hz
--	-----------------------

Power consumption:

Operation:	Maximum 1.4 kW
------------	----------------

Printer (MP2550B/3350B option)

Print speed:	25/33 prints per minute
Printer language:	
Option:	PCL5e, PCL6, RPCS™ Adobe® PostScript® 3™
Resolution:	Maximum 600 x 600 dpi (2,400 x 600 dpi with smoothing)
Interface:	
Standard:	USB 2.0, Ethernet 10 base-T 100 base-TX
Option:	Bi-directional IEEE 1284 Wireless LAN (IEEE 802.11b/a/g) Bluetooth, Gigabit Ethernet
Memory:	
Maximum:	MP 2550B/MP 3350B: 512 MB + 40 GB Hard Disk Drive MP 2550/MP 3350: 768 MB + 40 GB Hard Disk Drive (standard)
Network protocol:	TCP/IP, IPX/SPX, SMB, AppleTalk

Supported environments:	Windows® 95/98/Me/NT4.0/ 2000/XPVista/Server 2003 Novell® NetWare® 3.12/3.2/4.1/4.11/5.0/5.1/6/6.5 UNIX Sun® Solaris 2.6/7/8/9/10 HP-UX 10.x/11.x/11iv2 SCO OpenServer 5.0.6/5.0.7 RedHat® Linux 6.x/7.x/8.x/9.x/Enterprise IBM® AIX v4.3/5L v5.1/5L v5.2/5.3 Macintosh 8.6 or later (OS X Classic) Macintosh X v10.1 or later (native mode) SAP® R/3® (3.x or later) NDPS Gateway Netware 5.1 (SP8 or later) 6.0 (SP5 or later)/6.5 (SP3 or later) IBM® iSeries / AS/400 using OS 400 Host Print Transform
-------------------------	---

Scanner

Scan speed:	
MP 2550B/MP 3350B:	B/W: Maximum 50 originals per minute (MH, A4/LEF)
MP 2550/MP 3350:	Full colour: Maximum 29 originals per minute (MH, A4/LEF)
Resolution:	Maximum 600 dpi (TWAIN: 1,200 dpi)
Original size:	A5 - A3
Bundled drivers:	Network TWAIN
Scan to e-mail:	SMTP, TCP/IP
Destination addresses:	Maximum 500 per job (stored: maximum 2,000)
Address book:	Via LDAP or locally on Hard Disk Drive
Scan to folder:	SMB, FTP, NCP protocol (with login security)
Destination:	Maximum 50 folders per job

Software

SmartDeviceMonitor™, Web SmartDeviceMonitor™ 2,
Web Image Monitor, DeskTopBinder™ Lite

FAX (option)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3 ITU-T (T.37) Internet Fax ITU-T (T.38) IP Fax (print/scan functionality required)
Modem speed:	Maximum 33.6 Kbps
Resolution:	
Standard/detail:	200 x 100/200 dpi
Maximum:	400 x 400 dpi (option)
Compression method:	MH, MR, MMR, JBIG

Scanning speed:	Less than 0.56 seconds (200 x 100 dpi, A4/SEF)
Memory (Standard/maximum): (PAGE + SAF)	12/44 MB
Memory backup:	Yes

OTHER OPTIONS

Platen cover, 50-sheet Automatic Reverse Document Feeder, duplexer with 100-sheet multi-bypass tray, 2 x 500-sheet paper trays, 2,000-sheet large capacity tray, 125-sheet one-bin tray, 500-sheet finisher, 1,000-sheet finisher, 1,000-sheet booklet finisher, Shift sort tray, 2nd Super G3 port, Data Overwrite Security Unit, Copy Data Security Unit, File Format Converter, VM Card (Java™), Bridge Unit, Interchange Unit, Professional software solutions

For availability of models, optional apparatus and software, please consult your local Ricoh supplier.



All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice.

Product code: 950256

RICOH

